



青州市起扬机械有限公司

QINGZHOU QIYANG MACHINERY CO., LTD.

销售电话: 0536-3201838

邮 箱: 18552879211@163.com

官方网站: www.qiyangjixie.com

厂 址: 山东省青州市丰收一路西首

address:Fengshouyi Road,Yunmenshan Sub district Office,Qingzhou,Wefang City,shandong Province

Office Tel:186-516-536-3201838

Website:www.qiyangjixie.com

E-mail:18552879221@163.com

HONESTY AND
INTEGRITY
PRODUCT FIRST
TO BE CHINA'S NON STANDARD MECHANICAL LEADER



COMPANY PROFILE

WELCOME TO OUR COMPANY




Company Introduction

»» We have more than 14 years of professional experience

Qingzhou Qiyang Machinery Co., Ltd. is a modern industrial and trade enterprise integrating production research and development, product sales, maintenance service and parts supply. The company is located in Qingzhou, one of the ancient Kyushu with beautiful scenery. Our company has strong economic strength and strong product innovation and R & D ability. Through the introduction of talents, technology and equipment, we have developed and produced various types of crawler transport vehicles, four-wheel drive mountain cross-country transport vehicles, sugarcane loaders, hydraulic pilot excavators, excavators, loaders, steel grabbing machines, multifunctional road sweepers, various grabbing machines and train platform coal unloaders. At the same time, we undertake the customized production of various domestic and foreign engineering machinery and agricultural machinery non-standard products. Efficient production environment, excellent product



PRODUCT DETAILS



Engine: Yunnei4100	Rated power: 65kw
Overall weight: 5500kg	Working pressure: 20MPa
Maximum flow: 63ml/r	Wheelbase: 2450mm
Minimum ground clearance: 250mm	Dimensions: 6000x2050x3050mm

Excavation section	Loader part
Maximum excavation depth: 2600-3000mm	Maximum unloading height: 3200mm
Maximum excavation height: 4200mm	Minimum turning radius: 5000mm
Maximum excavation radius: 4000mm	Maximum unloading distance: 950mm
Maximum unloading height: 4200mm	Rated loading capacity: 2500kg
Standard bucket capacity: 0.2m ³	Maximum digging force: 10.5kn
Maximum traction: 29kn	
Boom swing angle: 180°	

DETAILS

Take a good picture of the product details
and enlarge the product


01 MULTI-FUNCTION

According to different accessories,
one machine can be used for
many purposes with powerful
functions



02 BRAND ENGINE

Low efficiency of fuel consumption,
good economic performance,
smooth idling, smooth transition
and high sensitivity



03 COMFORTABLE CAB

Humanized design, clear and easy
to understand center console,
comfortable and convenient seat



04 WEAR RESISTANT TIRE

Good air tightness, simple and
convenient structure, flexible turning,
anti-skid, wear-resistant, strong grip
and long service life



05 HYDRAULIC CYLINDER

It is made of excellent stainless steel in
many processes, ensuring excellent
performance, strong sealing, heavy
bearing and durable





起扬重工

QIYANG MACHINERY

品质 信誉 创新

山东省青州市起扬机械有限公司
联系电话: 400-838-0536
官方网站: www.qiyangmachinery.com
地址: 山东省青州市白浪门街道办事处丰收一路
山东省潍坊市青州市

QINGZHOU QIYANG MACHINERY CO.,LTD.
Tel: 400-838-0536
E-mail: kang_qiyangmachinery.com
Add: Fengshou 1st Road, yanshenzhan office, Qingzhou City, Shandong Province
Luguo Road, Qingzhou City, Shandong Province



400-838-0536
服务热线