



固定式
Stationary



底架压重式



行走式
Travelling




内爬式
Inner-climbing type

* 可变换的其他安装方式与我们协商 Mounting possibilities Consult us.


平头系列 Topless

塔身与反力 Masts and Reactions



H(m) 吊钩高度 Height of the hook ● 工作状态反力 Reactions in service ■ 非工作状态反力 Reactions out of service
 独立高度最大臂长的自重 (不含平衡重, 不含压重) Weight with max free standing, max jib (without counter-jib ballast and load)

附着 Anchorages



* 如需其他的高度, 请与我们联系。For other heights, consult us please.

起重特性 Load Diagrams

| 起重臂 Jib | | R _{min} | R(C _{max}) | C _{max} | 幅度 (m) / 起重量 (kg) | | | | | | | Range(m) / Loading (kg) | | | | |
|---------|---|------------------|----------------------|------------------|-------------------|-------|-------|-------|-------|-------|-------|-------------------------|-------|-------|--|--|
| R(m) | α | m | m | kg | 20 | 25 | 28 | 30 | 33 | 35 | 40 | 45 | 50 | 55 | | |
| 55 | | 4.0 | 40.51 | 32000 | 32000 | | | | | | | 28160 | 24710 | 21900 | | |
| | | 4.0 | 22.17 | 64000 | 64000 | 55630 | 48670 | 44840 | 40000 | 37250 | 31620 | 27280 | 23830 | 21020 | | |
| 50 | | 4.0 | 40.5 | 32000 | 32000 | | | | | | | 28150 | 24700 | | | |
| | | 4.0 | 22.17 | 64000 | 64000 | 55610 | 48660 | 44820 | 39980 | 37240 | 31610 | 27270 | 23820 | | | |
| 45 | | 4.0 | 40.5 | 32000 | 32000 | | | | | | | 28150 | | | | |
| | | 4.0 | 22.17 | 64000 | 64000 | 55620 | 48660 | 44830 | 39990 | 37240 | 31610 | 27270 | | | | |
| 40 | | 4.0 | 40.0 | 32000 | 32000 | | | | | | | | | | | |
| | | 4.0 | 22.18 | 64000 | 64000 | 55630 | 48670 | 44840 | 40000 | 37250 | 31620 | | | | | |
| 35 | | 4.0 | 35.0 | 32000 | 32000 | | | | | | | | | | | |
| | | 4.0 | 22.19 | 64000 | 64000 | 55660 | 48700 | 44860 | 40020 | 37270 | | | | | | |
| 30 | | 4.0 | 30.0 | 32000 | 32000 | | | | | | | | | | | |
| | | 4.0 | 22.2 | 64000 | 64000 | 55710 | 48740 | 44900 | | | | | | | | |

配重配置 Counter-jib Ballast

| 配重配置 Counter-jib Ballast | | | 12500-5400 | | |
|-----------------------------|------|-------|------------|--------|--------|
| (m) | (m) | (kg) | PZ12500 | PZ9500 | PZ5400 |
| 55 | 21.1 | 74400 | 4 | 2 | 1 |
| 50 | 21.1 | 74400 | 4 | 2 | 1 |
| 45 | 21.1 | 69000 | 4 | 2 | 0 |
| 40 | 21.1 | 61900 | 3 | 2 | 1 |
| 35 | 17.1 | 74400 | 4 | 2 | 1 |
| 30 | 17.1 | 69000 | 4 | 2 | 0 |



传动机构

Mechanisms

| 传动机构 Mechanisms | 图例 Legend | 型号 Model | 速度 (m/min) Speed | 起重量 (t) Hoist Weight | 容绳量 (m) Rope Capacity | 功率 (kW) Power | |
|---|--------------|--------------|-----------------------|---------------------------|----------------------------|--------------------|-----|
| 起升 Hoisting | | 170LVF160BA1 | | 0-26 | 32 | 1107 >1107* | 170 |
| | | | | 0-45 | 16 | | |
| | | | | 0-100 | 5 | | |
| | | | | 0-13 | 64 | | |
| | | | | 0-23 | 32 | | |
| | | | | 0-50 | 10 | | |
| 变幅 Trolleying | | 19DVF33A | 0-50m/min | | | 18.5 | |
| 回转 Slewing | | 56RVF | 0-0.6r/min | | | 3×18.5 | |
| 行走 Travelling | | RT | 0-17m/min | | | 4×8 | |
| 电源 Main Supply | | | | | ~ 380V (±10%) 50Hz | | |
| 总功率 (不含顶升和行走) Gross Power (Excluding climbing and travelling) | | | | | | 244kW | |

★ 如需其他配置，请与我们联系。 For other configuration, consult us please.









此样本所列技术参数不受法律约束，具体请详见相应产品说明书。








These brochure of specifications and data are not legally binding, specific instructions please based on our product manuals.

运输单元

Transport Unit

| No. | 名称 Description | 形状 Sketch | L(m) | B(m) | H (m) | kg) ±5% | 数量 Num. |
|-----|------------------------|--------------|-------|------|-------|---------|------------|
| 1 | 臂节一 Jib 1 | | 10.55 | 1.90 | 3.00 | 13189 | 1 |
| 2 | 臂节二 Jib 2 | | 10.44 | 1.90 | 2.95 | 9781 | 1 |
| 3 | 臂节三 Jib 3 | | 10.41 | 1.90 | 2.87 | 7355 | 1 |
| 4 | 臂节四 Jib 4 | | 10.41 | 1.90 | 2.93 | 5889 | 1 |
| 5 | 臂节五 Jib 5 | | 5.44 | 1.90 | 2.51 | 2492 | 1 |
| 6 | 臂节六 Jib 6 | | 10.37 | 1.90 | 2.50 | 3746 | 1 |
| 7 | 臂头 Jib end | | 1.65 | 2.25 | 2.02 | 569 | 1 |
| 8 | 平衡臂节一 Counter jib 1 | | 9.30 | 1.92 | 2.88 | 11806 | 1 |
| 9 | 平衡臂节二 Counter jib 2 | | 4.40 | 1.81 | 2.84 | 3196 | 1 |
| 10 | 平衡臂节三 Counter jib 3 | | 10.18 | 1.81 | 2.98 | 7154 | 1 |

| No. | 名称 Description | 形状 Sketch | L(m) | B(m) | H (m) | kg) ±5% | 数量 Num. |
|-----|-------------------------------------|---|-------|-------|-------|---------|------------|
| 11 | 起升机构 1 Hoisting Mechanism 1 |  | 3.919 | 3.334 | 1.97 | 15500 | 1 |
| 12 | 变幅机构 Trolleying mechanism |  | 2.42 | 0.82 | 0.744 | 1215 | 1 |
| 13 | 回转机构 Slewing Mechanism |  | 1.811 | 0.48 | 0.68 | 625 | 3 |
| 14 | 上支座 Upper support |  | 3.00 | 2.62 | 1.15 | 7520 | 1 |
| 15 | 下支座 Lower support |  | 3.01 | 3.00 | 1.52 | 9355 | 1 |
| 16 | 回转变幅柜 Slewing luffing cabinet |  | 1.54 | 0.5 | 1.57 | 380 | 1 |
| 17 | 司机室 Cab |  | 1.9 | 1.2 | 2.2 | 500 | 1 |
| 18 | 载重小车 Load trolley |  | 2.54 | 2.23 | 2.44 | 2626 | 1 |

| No. | 名称 Description | 形状 Sketch | L(m) | B(m) | H (m) | kg) $\pm 5\%$ | 数量 Num. |
|-----|------------------------|---|------|------|-------|---------------|------------|
| 19 | 吊钩 Hook |  | 1.14 | 0.44 | 3.14 | 2201 | 1 |
| 20 | 起升柜 Lifting cabinet |  | 1.54 | 0.5 | 2.02 | 410 | 1 |
| 21 | 标准节 Mast |  | 3.01 | 3.01 | 5.98 | 10880 | 10 |
| 22 | 加强节 Strengthen mast |  | 3.01 | 3.01 | 5.98 | 11536 | 1 |
| 23 | 爬升架 Climbing frame |  | 4.69 | 3.71 | 12.40 | 15882 | 1 |
| 24 | 特殊节 Special mast |  | 3.09 | 3.60 | 3.99 | 9105 | 1 |
| 25 | Fixed leg 固定支腿 |  | 3.30 | 3.30 | 2.43 | 6366 | 1 |